

TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Total Colony Counts in 35 °C	CFU/mL	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Total Coliforms	-/100mL	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Fecal Coliforms	-/100mL	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Escherichia coli	-/100mL	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Odor	-	-	No Defects	Standard methods for the examination of environmental pollution(drinking water):2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.

Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Taste	-	-	No Defects	Standard methods for the examination of environmental pollution(drinking water):2015
Total Solids	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
pH	-	-	4.9	Standard methods for the examination of environmental pollution(drinking water):2015
Hardness	mg/L	-	2	Standard methods for the examination of environmental pollution(drinking water):2015
Consumption of KMnO_4	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①-④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Cu	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Color	degree	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Turbidity	NTU	-	0.02 below	Standard methods for the examination of environmental pollution(drinking water):2015
Anionic Surfactants	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Cl ⁻	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Mn	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
SO ₄ ²⁻	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Zn	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Fe	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Al	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①-④)

2017.07.13.

Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
NH ₃ - N	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Hg	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
CN ⁻	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
F ⁻	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Pb	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Se	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Cr	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
As	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
NO ₃ ⁻ N	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Cd	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
B	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water) : 2015
Phenols	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Carbaryl	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
1,2-Dibromo-3-chloroprop ane	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Parathion	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①-④)

2017.07.13.

Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Fenitrothione	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Diazinon	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
1,1,1-Trichloroethane	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Trichloroethylene	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Tetrachloroethylene	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Dichloromethane	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Benzene	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Toluene	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Ethyl benzen	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Xylene	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
1,1-Dichloroethylene	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Carbon Tetrachloride	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
1,4-Dioxane	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015
Formaldehyde	mg/L	-	Not Detected	Standard methods for the examination of environmental pollution(drinking water):2015

- Usage of Report: QUALITY CONTROL

- Next Page -

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.


Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery



TEST REPORT

130-2, Donghwagongdan-ro, Munmak-eup, Wonju-si, Gangwon-do, 26365 TEL 82-33-744-8100 FAX 82-33-744-8866
Rep. of KOREA

Report No : TAR-001296

Receipt Date : 2017.06.27.

Representative : Choi gi-sung

Test Completion Date : 2017.07.13.

Company name: HNCARE CO., LTD

Address : 2146, Wonmun-ro, Munmak-eup, Wonju-si, Gangwon-do

Sample name : Water [Portable Hydrogen (Blue Water 900) Used]

Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
-----------	------	--------	--------	-------------

NOTE : 1. The test results of this test report are only limited in to the samples and sample names provided by the client and do not guarantee the quality of all products of the client. You can check website (www.ktr.or.kr) or QR code to verify the authenticity of the certificate.

2. This test report shall be used only within the purpose of its defined usage and shall not be used for public relation, advertisement and lawsuit.

3. This test report is only valid when printed on KTR original report paper with hologram and when re-issued by KTR. The copy and the electronic file of the test report are only for reference.

Lee Jeongwon

Tested by Lee Jeongwon
E-mail: jwlee@ktr.or.kr

Lee Junhee

Technical Manager: Lee Junhee
Tel: 1577-0091(ARS ①→④)

2017.07.13.

Korea Testing & Research Institute

President

Byun, Jong-Rip



QR Code for forgery